



## VINYL FENCE CATALOG

STRENGTH. BEAUTY. LONGEVITY. PROFESSIONAL.

**LIFETIME**  
MANUFACTURER  
**WARRANTY**





# COLORS

MOCHA  
WALNUT

DARK  
GRAY

GREEN  
TEAK



## VINYL FENCING

Vinyl fencing is the perfect blend of beauty and durability. Unlike wood, it never needs painting or staining, and it won't warp, rot, or attract pests. This is why Vinyl Fence is a smart investment for homeowners who want lasting curb appeal without the upkeep.

**MADE IN  
TENNESSEE  
& ALABAMA**





# VINYL FENCE



## 6' PREMIUM PRIVACY

Post Spacing: 8'  
Rail Size: 1-3/4" x 5-1/2"  
Stiffner: Bottom Rail  
Picket: 6" Wide Locking T&G  
Available Heights: 4', 5', 6', 7', 8'  
Available Colors: White, Tan  
Mocha Walnut, Green Teak, Dark Gray



## LATTICE TOP

Post Spacing: 8'  
Rail Size: 1-3/4" x 5-1/2"  
Stiffner: Bottom Rail  
Picket: 6" Wide Locking T&G  
Available Height: 6'  
Available Colors: White  
\*Lattice View is 9"



## LYNDLEE

Post Spacing: 8'  
Rail Size: 1-3/4" x 5-1/2"  
Stiffner: Bottom Rail  
Picket: 6" Wide Locking T&G  
Available Height: 6'  
Available Colors: White, Tan  
\*Spindle is 9" of Height



## LAKELYN

Post Spacing: 8'  
Rail Size: 1-3/4" x 5-1/2" (Mid: 2" x 3-1/2")  
Stiffner: Bottom Rail  
Picket: 3" Wide w/ 1" Spacing  
Available Heights: 4', 5', 6'  
Available Colors: White, Tan



## COLIN

Post Spacing: 6'  
Rail Size: 2" x 3-1/2"  
Stiffner: Bottom Rail  
Picket: 3" Wide with Dog Ear Cap  
Available Heights: 4', 5'  
Available Colors: White, Tan



## CHARLEE

Post Spacing: 6'  
Rail Size: 2" x 3-1/2"  
Stiffner: Bottom Rail  
Picket: 3" Wide with Closed Top  
Available Heights: 4', 5'  
Available Colors: White, Tan



## WAKE

Post Spacing: 6'  
Rail Size: 2" x 3-1/2"  
Stiffner: Bottom Rail  
Picket: 3" Wide with Dog Ear Cap  
Available Heights: 4', 5'  
Available Colors: White, Tan



## 2 RAIL

Post Spacing: 8'  
Rail Size: 1-1/2" x 5-1/2"  
Standard Height: 36"  
Available Colors: White, Tan



## 3 RAIL

Post Spacing: 8'  
Rail Size: 1-1/2" x 5-1/2"  
Standard Height: 48"  
Available Colors: White, Tan



## 4 RAIL

Post Spacing: 8'  
Rail Size: 1-1/2" x 5-1/2"  
Standard Height: 52"  
Available Colors: White, Tan



## CROSSBUCK

Post Spacing: 8'  
Rail Size: 1-1/2" x 5-1/2"  
Standard Height: 52"  
Available Colors: White, Tan



## CROSSBUCK 5 RAIL

Post Spacing: 8'  
Rail Size: 1-1/2" x 5-1/2"  
Standard Height: 60"  
Available Colors: White, Tan



## RAIL LOCKS

RAIL LOCKS ARE THE SECRET INGREDIENT. WE USE RAIL LOCKS TO STABILIZE THE TOP OF YOUR POST AND CONNECT EACH FENCE SECTION TO THE NEXT.

ALUMINUM  
VINYL GATE STIFFENERS

## CHOOSE YOUR CAP

GOTHIC



FLAT



NEW ENGLAND



LOCKING TONGUE AND  
GROOVE PICKETS





# HELPFUL INFORMATION



## UNDERGROUND UTILITIES

### 811 DOES NOT MARK IT ALL.

You have underground utilities that will not be located by an 811 call. For example, water is marked to the meter. This is usually near the curb. If you do not have a meter, then you will have a well, and likely a septic system that will not be located. 811 only marks public utilities defined as "to the meter". Anything beyond the meter is not marked (gas, electricity, water, etc.) We cannot know for sure where your underground utilities are buried.

## GRADE OF FENCE AND GROUND CLEARANCE

### YOUR FENCE WILL NOT BE 'LEVEL'.

Level is the unit of measure for horizontal planes. Your yard (unless a concrete slab) is not level. Your fence will be built to the grade of your actual yard. We work to keep a "clean" top line while also trying to keep a "tolerant" ground clearance. A fence often reveals low spots in a yard that were otherwise unnoticed. You may have some landscaping and/or ground work to do after your fence is installed. Lowering the fence is not the solution to terrain low-spots.



## DOG CONTAINMENT

### A FENCE IS THE FIRST STEP TO CONTAINING A DOG.

Every dog has its own temperament and willingness to be contained. We cannot guarantee that your fence will contain your dog. Sometimes, the fence is only the first step in containing a dog and additional measures may be needed. We offer lower bottom-rail on our chain link fences, rot boards on our wood fences, and puppy pickets on our aluminum fences.

## PROPERTY LINES

### THE ONLY WAY TO KNOW IS TO HIRE A SURVEY.

Property lines are legal business. Surveyors are formally trained and licensed professionals. The only real way to know your exact property boundary is to hire a Surveyor. Google Maps, Tn Property Tax Accessor, OnX, The Court Clerk are all references and can provide information about your property. However, the only official determination is made by a licensed surveyor. We take no responsibility in identifying your property lines.



Know what's below.  
Call before you dig.

APWA UNIFORM COLOR CODES

|  |                                                                                        |  |                                      |
|--|----------------------------------------------------------------------------------------|--|--------------------------------------|
|  | <b>RED:</b> Electric power lines, cables, conduit and lighting cables                  |  | <b>BLUE:</b> Potable water           |
|  | <b>YELLOW:</b> Gas, oil, steam, petroleum, gaseous materials                           |  | <b>GREEN:</b> Sewers and drain lines |
|  | <b>ORANGE:</b> Communications, alarm or signal lines, cables or conduit, traffic loops |  | <b>WHITE:</b> Pre-marking dig site   |
|  | <b>PURPLE:</b> Reclaimed water, irrigation, slurry lines                               |  | <b>PINK:</b> Temporary survey marks  |

The marks are approximate. Dig carefully near them.

## PERMITS AND HOA APPROVAL

### APPROVAL MUST BE OBTAINED PRIOR TO CONSTRUCTION.

Codes and HOA Covenants must be respected at all times. We know many rules, but we cannot know all of the rules. Fence codes change from city to city and from street to street. There is no general one-size fits all related to fencing codes, setbacks, utility easements, etc. Each fence is a case-by-case situation and the due process must be followed and approval obtained prior to construction.